810008925/DB | B-024-LN-8W-F12NS/16G



LightScope ZWP® Blown Micro Single Jacket All-Dielectric Outdoor Stranded Loose Tube Arid-Core® Construction Cable

Product Classification


PortfolioCommScope®Product TypeFiber OSP cable

Regional Availability Asia | Australia/New Zealand | EMEA | Latin America | North America

Standards And Qualifications

Cable Qualification Standards IEC 60794-5-10

Representative Image



General Specifications

Cable TypeStranded loose tubeConstruction TypeNon-armoredSubunit TypeGel-filled

Construction Materials

Fiber Type Solution G.652.D and G.657.A1

Jacket Material High density polyethylene (HDPE)

Total Fiber Count 24

Fiber Type G.652.D and G.657.A1

Fiber Type, quantity 24
Fibers per Subunit, quantity 12

page 1 of 5 December 12, 2018



810008925/DB | B-024-LN-8W-F12NS/16G

Jacket Color Black

Jacket UV Resistance UV stabilized

Dimensions

 Buffer Tube/Subunit Diameter
 1.60 mm | 0.06 in

 Cable Weight
 20.0 kg/km | 14.0 lb/kft

 Diameter Over Jacket
 5.50 mm | 0.22 in

Filler, quantity 3
Subunit, quantity 2

Physical Specifications

Minimum Bend Radius, loaded 8.2 cm | 3.2 in

Minimum Bend Radius, unloaded 5.5 cm | 2.2 in

Tensile Load, long term, maximum 97 N | 22 lbf

Tensile Load, short term, maximum 324 N | 73 lbf

Vertical Rise, maximum 492.0 m | 1614.2 ft

Environmental Specifications

Environmental Space Air-blown, microduct

Installation Temperature-30 °C to +70 °C (-22 °F to +158 °F)Operating Temperature-30 °C to +70 °C (-22 °F to +158 °F)Storage Temperature-30 °C to +75 °C (-22 °F to +167 °F)

Mechanical Test Specifications

Compression 10 N/mm

Compression Test Method FOTP-41 | IEC 60794-1 E3

Flex 25 cycles

 Flex Test Method
 FOTP-104 | IEC 60794-1 E6

 Impact
 0.30 N-m | 0.22 ft lb

 Impact Test Method
 FOTP-25 | IEC 60794-1 E4

Strain See long and short term tensile loads

Strain Test Method FOTP-33 | IEC 60794-1 E1

Twist 10 cycles

Twist Test Method FOTP-85 | IEC 60794-1 E7

Water Penentration 24 h

Water Penentration Test Method FOTP-82 | IEC 60794-1 F5

Environmental Test Specifications

page 2 of 5 December 12, 2018



810008925/DB | B-024-LN-8W-F12NS/16G

Cable Freeze -2 °C | 28 °F

Cable Freeze Test Method FOTP-98 | IEC 60794-1 F15

Drip 70 °C | 158 °F

Drip Test Method FOTP-81 | IEC 60794-1 E14 **Heat Age** -30 °C to +85 °C (-22 °F to +185 °F)

Heat Age Test Method IEC 60794-1 F9

Low High Bend -30 °C to +60 °C (-22 °F to +140 °F)

Low High Bend Test Method FOTP-37 | IEC 60794-1 E11

Temperature Cycle -30 °C to +70 °C (-22 °F to +158 °F)

Temperature Cycle Test Method FOTP-3 | IEC 60794-1 F1

Regulatory Compliance/Certifications

Agency Classification RoHS 2011/65/EU Compliant

ISO 9001:2008 Designed, manufactured and/or distributed under this quality management system



Included Products

DB-8W-MicroLT (Product Component—not orderable) — LightScope ZWP® Singlemode Fiber

* Footnotes

Operating Temperature Specification applicable to non-terminated bulk fiber cable



page 3 of 5



DB-8W-MicroLT | DB-8W-MicroLT

LightScope 2000

LightScope ZWP® Singlemode Fiber

Product Classification

Portfolio CommScope® **Product Type** Optical fiber

Regional Availability Asia | Australia/New Zealand | EMEA | Latin America | North

America

Optical Specifications, Wavelength Specific

Standards Compliance ITU-T G.652.D | ITU-T G.657.A1 | TIA-492CAAB (OS2)

Attenuation, maximum 0.24 dB/km @ 1575 nm

0.25 dB/km @ 1550 nm 0.27 dB/km @ 1490 nm 0.29 dB/km @ 1625 nm 0.32 dB/km @ 1385 nm 0.35 dB/km @ 1310 nm 0.35 dB/km @ 1650 nm 0.45 dB/km @ 1270 nm

Dispersion, maximum 18 ps(nm-km) at 1550 nm | 3.5 ps(nm-km) from 1285 nm to 1330

nm at 1310 nm

Mode Field Diameter 9.2 um @ 1310 nm

> 9.6 µm @ 1385 nm 10.4 µm @ 1550 nm

Mode Field Diameter Tolerance ±0.3 μm @ 1310 nm | ±0.5 μm @ 1550 nm | ±0.6 μm @ 1385 nm

Index of Refraction 1.467 @ 1310 nm 1.468 @ 1385 nm

1.468 @ 1550 nm

Polarization Mode Dispersion Link Design Value, maximum 0.04 ps/sqrt(km)

Backscatter Coefficient -82.1 dB @ 1550 nm

-79.6 dB @ 1310 nm

Physical Specifications

Cladding Diameter 125.0 µm **Cladding Diameter Tolerance** $\pm 0.7 \mu m$ Cladding Non-Circularity, maximum 0.7 % Coating Diameter (Colored) 253 µm Coating Diameter (Uncolored) 240 µm **Coating Diameter Tolerance (Colored)** ±7 µm **Coating Diameter Tolerance (Uncolored)** ±5 µm Coating/Cladding Concentricity Error, maximum 12 µm Core/Clad Offset, maximum 0.5 µm

Optical Specifications, General

page 4 of 5 December 12, 2018



DB-8W-MicroLT | DB-8W-MicroLT

Cabled Cutoff Wavelength, maximum1260 nmPoint Defects, maximum0.10 dB

Zero Dispersion Slope, maximum 0.090 ps/[km-nm-nm]

Zero Dispersion Wavelength, maximum1322 nmZero Dispersion Wavelength, minimum1302 nm

Mechanical Specifications

Coating Strip Force, maximum8.9 N | 2.0 lbfCoating Strip Force, minimum1.3 N | 0.3 lbf

Dynamic Fatigue Parameter, minimum 20

 Fiber Curl, minimum
 4.0 m | 13.1 ft

 Macrobending, 20 mm mandrel, 1 turn
 0.75 dB @ 1550 nm

 1.50 dB @ 1625 nm

 Macrobending, 30 mm mandrel, 10 turns
 0.25 dB @ 1550 nm

1.00 dB @ 1625 nm

Macrobending, 50 mm mandrel, 100 turns

0.23 dD @ 1550 nm

0.03 dB @ 1550 nm

0.03 dB @ 1625 nm

Proof Test 689.48 N/mm² | 100000.00 psi

Environmental Specifications

Heat Aging, maximum 0.05 dB/km @ 85 °C

Temperature Dependence, maximum0.05 dB/kmTemperature Humidity Cycling, maximum0.05 dB/km

Water Immersion, maximum 0.05 dB/km @ 23 °C

Regulatory Compliance/Certifications

Agency Classification

ISO 9001:2008 Designed, manufactured and/or distributed under this quality management system

* Footnotes

Temperature Dependence, maximumTemperature dependence is conducted at -60 °C to +85 °C (-76 °F to +185 °F)

Temperature Humidity Cycling, maximum Temperature humidity cycling is conducted at -10 °C to +85 °C (+14 °F to +185 °F) up to

95% relative humidity

