

|               |                                    |          |
|---------------|------------------------------------|----------|
| Type:         | Fibrain FB-XRA fiber optic closure |          |
| Ref:          | FB-XRA                             | REV: 1.0 |
| Date:         | 21.06.2021                         | DP       |
| Modification: | -                                  | -        |

## Distribution fiber



### FB-XRA Fiber optic closure



#### DESCRIPTION:

- Maximum capacity 144 splices
- Thermic type of port seals
- 3 round cable entry and 1 oval port for uncut cables
- Pole and wall mounting
- Built-in organizer for fiber optic tubes




#### TECHNICAL SPECIFICATION:

| Technical data                                 | FB-XRA        |
|--|---------------|
| Max. number of splices                         | 144           |
| Max. number of cassettes                       | 4             |
| Max. capacity of cassettes                     | 36            |
| Range of cable diameter for 3 round ports [mm] | 8-16          |
| Range of cable diameter for a round port [mm]  | 8-16          |
| Max. number of cable entrances                 | 4             |
| Fiber optic closure dimensions (Ø)x(w) [mm]    | 183x320       |
| Leakproofness of ports                         | thermic       |
| Working temperature                            | -40°C - +65°C |
| IP protection                                  | IP68          |
| Housing type                                   | PP+GF         |



|               |                                    |          |
|---------------|------------------------------------|----------|
| Type:         | Fibrain FB-XRA fiber optic closure |          |
| Ref:          | FB-XRA                             | REV: 1.0 |
| Date:         | 21.06.2021                         | DP       |
| Modification: | -                                  | -        |

## Distribution fiber



### EQUIPMENT:

| Element   | Qty   |
|---|-------|
| Dome of the fiber optic closure   | 1 pcs |
| Base of the fiber optic closure   | 1 pcs |
| Dome clamp  | 1 pcs |
| Wall / pole Installation hardware   | 1 pcs |
| Seal  | 1 pcs |
| Splice cassette FB-XRA-SCM  | 1 pcs |
| Seal kit for thermic ports  | 1 set |
| Accessories set (clip with glue, sand paper, aluminum tape, insulating tape, protection tube) | 1 set |

### ADDITIONAL EQUIPMENT:

|                  |            |
|------------------|------------|
| Splice cassette: | FB-XRA-SCM |
|------------------|------------|

|               |                                    |          |
|---------------|------------------------------------|----------|
| Type:         | Fibrain FB-XRA fiber optic closure |          |
| Ref:          | FB-XRA                             | REV: 1.0 |
| Date:         | 21.06.2021                         | DP       |
| Modification: | -                                  | -        |

## Distribution fiber



### ORDERING INFORMATION:

|            |   |
|------------|---|
| FB-XRA-36  | FIBRAIN FIBER OPTIC DOME CLOSURE, 144F, 3 ROUND PORTS AND ONE OVAL, EQUIPPED WITH 1X SPLICE CASSETTE 36F, MOUNTING HARDWARE.  |
| FB-XRA-72  | FIBRAIN FIBER OPTIC DOME CLOSURE, 144F, 3 ROUND PORTS AND ONE OVAL, EQUIPPED WITH 2X SPLICE CASSETTES 36F, MOUNTING HARDWARE. |
| FB-XRA-108 | FIBRAIN FIBER OPTIC DOME CLOSURE, 144F, 3 ROUND PORTS AND ONE OVAL, EQUIPPED WITH 3X SPLICE CASSETTES 36F, MOUNTING HARDWARE. |
| FB-XRA-144 | FIBRAIN FIBER OPTIC DOME CLOSURE, 144F, 3 ROUND PORTS AND ONE OVAL, EQUIPPED WITH 4X SPLICE CASSETTES 36F, MOUNTING HARDWARE. |

*This document and the statements contained in it, are not intended for customers within the meaning of Civil Code. The information submitted in this document is to our knowledge and belief true at the time of issue, however, we do not assume any liability whatsoever for its accuracy, and completeness. This document is for informational purposes on an "as is" basis only, and Fibrain reserves the right to change its contents at any time without prior notice. The specification cannot in any case be considered an offer within the meaning of the Civil Code and is not contractually valid unless specifically authorized by Fibrain. Before using this product, its buyer and/or user has to make sure that it is suitable for the intended use. All liability issues related to this product are subjected to the seller's separate Terms of Sale or the terms and conditions agreed with the Fibrain representative or distributor.*